



# EFFECTIVE CLEANING SOLUTIONS

CLEANING MACHINERY  
AND TOOLS



[www.tciproduct.com](http://www.tciproduct.com)





## ABOUT US

**TCI Product**, founded in 2003 by Mr. Brijesh Shah, began with a clear vision: to provide India with high-quality, durable, and low-maintenance cleaning solutions backed by reliable service and customer-focused support. With that mission at the core, TCI Product has grown into a respected name in the cleaning equipment industry, serving industrial and commercial sectors <sup>TM</sup> across the country.

With over two decades of experience, we have established ourselves not just as manufacturers, but as solution providers, delivering end-to-end cleaning systems tailored to the specific needs of our clients. Our approach is rooted in understanding customer requirements and offering long-term, efficient, and service-friendly machines that minimize operational challenges.

Operating from our head office and manufacturing facility in **Vadodara, Gujarat**, we maintain a strong and growing presence across India, driven by a commitment to quality, innovation, and customer satisfaction.

At TCI Product, we continue to stand by our founding promise: to deliver **Effective Cleaning Solutions** that empower businesses to achieve cleaner, safer, and more productive environments.



EFFECTIVE CLEANING SOLUTIONS



[www.tciproduct.com](http://www.tciproduct.com)

# TABLE OF CONTENTS

Scrubber Drier's **4**

Sweeper's **10**

Vacuum Cleaners **13**

Single Disc **20**

High Pressure Washers **23**

Carpet & Upholstery  
Cleaners **25**

Housekeeping Trolleys  
& Carts **29**

Commercial Bins &  
Housekeeping Tools **31**



## RIDE ON SCRUBBER DRIER – 295

The **TCI RSD 295 ride-on scrubber**, equipped with dual brush technology and a dynamic control panel, offers unparalleled cleaning efficiency for large spaces.

Maximum Work Productivity: 5500 m <sup>2</sup> / hr	Dirty Water Tank : 150ltr.
Forward speed : 0 - 15km/hr.	Battery Capacity : 24V
Cleaning Width : 1150 mm	Drive Motor : 800W
Disk Brush Diameter : 860 mm	Total Motor Power : 1550W
Clear Water Tank : 145ltr.	Net Weight : 402kg

## RIDE ON SCRUBBER DRIER – 240

**“Mordenized Scrubber Drier 240”** – a powerful ride-on cleaning machine designed for large spaces. Unmatched in efficiency, durability, and performance, it delivers spotless results every time with ease.



Maximum Efficiency : 4500m <sup>2</sup> /hr.
Power of Scrubbing Motor : 550W * 2
Cleaning Width : 1150mm
Disk Brush Diameter : 880mm
Clean Water Tank Capacity : 110ltr.
RPM : 200

Dirty Water Tank Capacity : 130ltr.
Battery : 24V
Power of suction motor : 600W
Pressure of scrubbing Brush : 30kg
Gross Weight : 400kgs

## RIDE ON SCRUBBER DRIER – 215

The **TCI RSD 215 ride-on scrubber**, with two counterclockwise rotating brushes, efficiently cleans medium to large areas, enhancing floor maintenance with ease.



Scrubbing Width	: 660 mm	Vacuum Motor Power	: 550 W
Effective Sucking Width	: 1100 mm	Drive Motor Power	: 750 W
Theoretical Area Coverage	: 4800 m <sup>2</sup> / hr	Diameter of Brush	: 13" x 2Pcs
Working Speed Upto	: 6 Km/ h	Brush speed	: 180 rpm
Turning radius	: 1.8 m	Brush Load	: 43 kg
Battery Rating	: 24V	Extra Brush Load	: 47 Kg
Airflow Rate	: 33L/Sec	Fresh Water Tank	: 100 ltr
Vacuum Pressure	: 1650 mm of H20	Dirty Water Tank	: 115 ltr
Power Supply	: 24v	Dimension	: 1750 x 1100 x 1410
Total Power	: 2400W	Total weight ready to operate	: 400kg
Brush Motor Power	: 2 x 550 W		

## RIDE ON SCRUBBER DRIER – 165

The **TCI RSD 165 ride-on scrubber** is perfect for medium-sized spaces. Plus, its tight turning radius adds flexibility, making it a practical and affordable choice for maintaining floors.



Maximum Work Productivity: 3500 m <sup>2</sup> / hr	Vacuum Motor	: 550W	
Forward speed	: 0 - 15km/h	Dimensions	: 1400*1030*1100
Cleaning Width	: 1030 mm	Operation Duration	: 3-4h
Disk Brush Diameter	: 560 mm	Net Weight Gross Weight	: 260/280Kg
Battery Capacity	: 24V /100Ah	Brush Motor	: 500W
Solution Tank	: 80L	Driving Motor	: 600W
Recovery Tank	: 85L		

## AUTO SCRUBBER DRIER – 55E

The newly launched **Auto Scrubber Drier 55E** features the largest tank capacity in its class, coupled with innovative design for powerful scrubbing and drying performance. Ideal for extensive cleaning tasks, it promises efficient and effective floor maintenance.



Cleaning Width	: 510 mm
Suction Width	: 755 mm
Brush Diameter	: 510 mm
Brush RPM	: 160 rpm
Sucking Degree	: 140 m/bar
Scrubbing motor power	: 750 W
Suction motor power	: 700 W

Clean water tank capacity	: 50 ltr.
Dirty water tank capacity	: 55 ltr.
Cleaning Efficiency	: 2150 m <sup>2</sup> /hr
Voltage	: 220 V
Cable length	: 18 mtr
Gross Weight	: 103 kgs
<b>Brush Motor Type</b>	<b>: Induction</b>



## AUTO SCRUBBER DRIER – 55C

The **TCI SD 55C** boasts a large tank capacity, enabling extended cleaning sessions without frequent refills. Its ergonomic design and intuitive controls ensure effortless operation and effective floor maintenance.

Brush Cleaning Width	: 510 mm	Clean Water Tank Capacity	: 50 ltr
Vacuum Squeeze Width	: 810 mm	Dirty Water Tank Capacity	: 55 ltr
Accessories	: Brush Only	Performance	: 2000 m / hr <sup>2</sup>
Brush Rotation Speed	: 210 rpm	Noise Level	: 65 db
Vacuum Suction	: 140 mbar	Voltage	: 220V, 50Hz
Floor Motor	: 1100 W	Net Weight	: 111kgs
Suction Motor	: 1100 W		

The **TCISD 50**, available in both battery-operated and cable-operated options, offers versatile cleaning solutions. With its robust design and efficient scrubbing capabilities, it is well-suited for industries, hospitals, schools, warehouses, showrooms, and garages, providing effective floor maintenance across various commercial settings.

## AUTO SCRUBBER DRIER – 50B



Brush Cleaning Width	: 510 mm
Vacuum Squeeze Width	: 755 mm
Brush and Pad Size	: 510 mm
Brush Rotation Speed	: 210 rpm
Vacuum Suction	: 140 mbar
Floor Motor	: 750 W
Suction Motor	: 700 W
Clean Water Tank Capacity	: 45 ltr.
Dirty Water Tank Capacity	: 50 ltr.
Performance	: 1950 m <sup>2</sup> /hr.
Noise Level	: 65 db
Voltage	: 24 V
No. Of Batteries	: 2
Net Weight	: 78kgs
Gross Weight	: 103 Kgs

Brush Cleaning Width	: 510 mm
Vacuum Squeeze Width	: 755 mm
Brush and Pad Size	: 510 mm
<b>Brush Motor Type</b>	<b>: Induction</b>
Brush Rotation Speed	: 210 rpm
Vacuum Suction	: 140 mbar
Floor Motor	: 750 W
Suction Motor	: 1100 W
Clean Water Tank Capacity	: 45 ltr
Dirty Water Tank Capacity	: 50 ltr
Performance	: 1950 m <sup>2</sup> / hr
Noise	: 65 db
Voltage	: 220V, 50 Hz
Net Weight	: 78kgs

## AUTO SCRUBBER DRIER – 50E



## AUTO SCRUBBER DRIER – 40E

Elevate your cleaning efficiency with our powerful industrial scrubber drier. Designed for durability and ease of use, it's ideal for large-scale commercial and industrial applications, ensuring pristine floors with minimal effort.



Voltage/Frequency	: 220V, 50 Hz	Washing Brush Speed	: 170 rpm
Sucker Width	: 770mm	Noise Level	: 65 db
Diameter of Brush Disc	: 455mm	Cleaning Performance	: 1850 m <sup>2</sup> / hr
<b>Brush Motor Type</b>	<b>: Induction</b>		
Brush motor Power	: 1100 W	Length of Power Cable	: 18 mtr
Washing Brush Pressure	: 30 kgs	Clean Water Tank Capacity	: 40 ltr.
Power of Suction Motor	: 1100 W	Dirty Water Tank Capacity	: 45 ltr.
		Net Weight	: 78kgs

## AUTO SCRUBBER DRIER – 32E



Our budget-friendly solution for effective floor maintenance. Designed for versatility and cost-efficiency, it provides reliable cleaning performance suitable for various commercial settings, ensuring optimal results without compromising on quality.

Voltage/Frequency	: 220V, 50 Hz	Washing Brush Speed	: 148 rpm
Sucker Width	: 770mm	Length of Power Cable	: 18 mtr
Diameter of Brush Disc	: 455mm	Clean Water Tank Capacity	: 28 ltr.
<b>Brush Motor Type</b>	<b>: Induction</b>		
Brush motor Power	: 1100 W	Dirty Water Tank Capacity	: 32 ltr.
Washing Brush Pressure	: 30 kgs	Performance	: 1660 m <sup>2</sup> / hr.
Power of Suction Motor	: 1100 W	Net Weight	: 69kgs

## AUTO SCRUBBER DRIER – 12B

Compact and efficient, our entry-level model is tailored for small-scale cleaning needs. Designed for ease of use and affordability, it delivers reliable performance in tight spaces, making it an ideal choice for businesses just starting out with floor maintenance solutions.



Maximum work productivity	: 1350m <sup>2</sup> /hr.	Battery Capacity	: 24V/ 32Ah
Forward Speed	: 0-6km/hr.	Voltage/Rated Power	: 24V/400W
Cleaning Width	: 350mm	Dimensions	: 900*580*700mm
Disk Brush Diameter	: 350mm	Operation Duration	: 1.5hr.
Clean Water Tank	: 7ltr.	Net Weight/Gross Weight	: 55/70kg
Dirty Water Tank	: 12ltr.		

## MOP AUTO SCRUBBER DRIER-10.7B



Revolutionize your floor cleaning with our innovative mop auto scrubber drier. Engineered for efficiency and ease of use, it combines the convenience of a mop with the power of a scrubber drier, ensuring superior cleaning results in various commercial and industrial environments.

Voltage	: 24V	Brush Diameter	: 230mm x 2
Operation Type	: Hand Push	Work Efficiency	: 1200 m <sup>2</sup> /hr.
Brush Speed	: 258 rpm	Squeeze Width	: 600mm
Battery Capacity	: 12Ah	Clean Water Tank	: 7ltr.
Working Time	: 90 mins	Dirty Water Tank	: 10 ltr.
Charging Time	: 90 mins		

# RIDE ON SWEEPER -180

The **TCI Ride-On Sweeper 180** is a robust and maneuverable cleaning solution tailored for industrial environments. It efficiently clears debris and dust with user-friendly controls and a sleek design. Featuring a substantial 180-liter hopper capacity, it ensures extended cleaning sessions without frequent emptying, all while maintaining safety standards with integrated hazard lights.



Width (Included Brush) : 1400mm

Continuous Work Time : Upto 5 Hr

Productivity : 10000m<sup>2</sup> / hr

Clean Water Tank Capacity : 170 Ltr

Waste Hopper Capacity : 180 Ltr

Filter Surface : 5m

Main Brush Length : 700 x 305mm

Driving Speed : 0-8 km/hr

Gradient : <25

Voltage : 48V

Working Power : 500 + 200 + 600W

Driving Power : 1200W

Size : 1920 x 1170 x 1650mm

Gross Weight : 530kg

Net Weight : 450kg

## RIDE ON SWEEPER -150

The **TCI RS 150** is a compact and versatile ride-on sweeper designed for efficient cleaning in industrial settings. It swiftly clears debris and dust with ease, maneuvering through tight spaces and open areas alike. Featuring a protective shade for operator comfort and safety, it includes dual water sprayers for effective dust suppression during operations.



Forward Speed : 0-12km/h

Cleaning Width : 1380mm

Main Brush Width : 600mm

Main Brush Height : 310mm

Better Capacity : 48VOLTS/80Ah

Clear Water Tank : 110L

Dustbin : 150L

Dimension : 1650\*1380\*1350mm

Filteration : 0.5Micron

Operation Duration : 3-4h

Net Weight Gross Weight : 490/520kg

Voltage Rated Power : 48VOLTS/1680WATTS

Maximum Work Productivity : 8000m<sup>2</sup> / hr



## RIDE ON SWEEPER -90

The **TCI RS 90** is a nimble and efficient ride-on sweeper tailored for industrial cleaning needs. It adeptly clears debris and dust with its compact design and maneuverability. Enhanced with a single water sprayer for effective dust suppression, it also boasts a headlamp that ensures clear visibility during operation, regardless of lighting conditions.

Forward Speed : 0-12km/h

Cleaning Width : 1250mm

Main Brush Width : 500mm

Clear Water Tank : 100L

Dustbin : 90L

Operation Duration : 3-4h

Maximum Work Productivity : 6400m<sup>2</sup> / hr

Voltage Rated Power : 48VOLTS/1680WATTS

Dimension : 1500\*1250\*1330mm

Net Weight Gross Weight : 360/380kg

Better Capacity : 48VOLTS/65Ah

## TCI FS 30B BATTERY OPERATED SWEEPER

The **TCI FS 30 B** Walk-Behind Sweeper, with a 1000 mm sweeping width and 4000 m<sup>2</sup>/hr efficiency, is ideal for efficiently cleaning large indoor and outdoor areas such as warehouses, parking lots, and industrial sites. It features robust brushes and a long-lasting battery for reliable performance.



Main Brush Diameter : 400 mm

Side Brush Diameter : 400 mm

Sweeping Width : 1000 mm

Cleaning Efficiency : 4000 m<sup>2</sup>/ hr

Power : 270 W

Dust Filter Area : 11.5 mtri

Trash Can Volume : 30 ltr

Battery : 12V 100Ah

Battery Life : 3 - 4 hr

Cleaning Width : 1000 mm

Net Weight : 90 kgs

Gross Weight : 116 kgs

Water Tank Capacity : 12 L



## TCI FS 800 MANUAL SWEEPER

The **TCI FS 800** Manual Sweeper, with a 980 mm sweeping width and 3850 m<sup>2</sup>/hr cleaning capacity, features a 55L hopper and is designed for efficiency and ease of use, in a compact grey and black design.

Hopper Capacity : 55 Ltr

Cleaning Capacity : 3850 m<sup>2</sup>/hr

Sweeping Width with Main Brush: 700 mm

Sweeping Width with Side Brush : 980 mm

Height with Handle : 900 mm

Weight : 24 kgs

Dimensions in Inches : 32" \* 30" \* 18"


Colour : Grey and Black

## 3 PHASE INDUSTRIAL VACUUM CLEANER

Introducing our cutting-edge **three-phase industrial vacuum cleaner**, meticulously engineered for **continuous 24/7 operation**. Designed with our own easy-to-use interface and built for robustness and reliability, this powerhouse machine ensures uninterrupted performance in even the most demanding industrial environments.

Our advanced vacuum cleaner features a **STAR filtration system** that efficiently captures dust, debris, and contaminants, maintaining a clean and safe workspace. With **high-performance induction-based motors**, it delivers exceptional suction power and is designed for continuous runtime without interruption. The machine can be easily customized to meet your specific needs, including options for **flameproof materials, a whole stainless steel body, HEPA filtration, and adjustable tank sizes**.

For added convenience, the hose pipe can be extended up to **50 meters**, allowing for flexibility in various cleaning scenarios. Invest in efficiency, productivity, and peace of mind with our three-phase industrial vacuum cleaner—the ultimate solution for round-the-clock cleaning needs.





# 3 PHASE INDUSTRIAL VACUUM CLEANER

## Specialization:

Explosion-proof  
Turbine motor



\*Flameproof Machine



\*Complete S.S Body



Star  
Filter Bag

- Dust Collectors
- Cyclonic Dust Separator
- HEPA Filtration
- Tank Capacity
- Floor Brush Attachment Model

\* Can be customized on  
Special Orders

## Specification:

MODEL	TCI 3KSC 3HP	TCI 5KSC 5HP	TCI 7.5KSC 7.5HP
Motor (3 Phase) HP /KW	3 / 2.2	5 / 3.7	7.5 / 5.6
Suction Power MM.WG	3000 Wg. / 300mbar	3500 Wg. / 350mbar	4000 Wg. / 400mbar
Air Flow Cubic Mtr. / Hrs	270m <sup>3</sup> /hrs.	320m <sup>3</sup> /hrs	400m <sup>3</sup> /hrs
Container Capacity	110 Ltr	110 Ltr	110 Ltr
Body MOC / Container MOC	MS /304SS	MS /304SS	MS /304SS
Weight	95KG (Approx)	125 KG (Approx)	165 KG (Approx)
Wet / Dry Application	Wet & Dry Application	Wet & Dry Application	Wet & Dry Application
Noise Level	69 db	77 db	80 db
Hose Size	40mm ( Optional Available - upto 100mm)		

## Accessories:

### 30/60/80 Ltr. Vacuum Cleaner



Round Brush



Wet Tools



SS Tube



Flexible  
Hose Pipe



Flat  
Nozzle



Dry Tools

### 15 Ltr. Vacuum Cleaner



Sofa Sucker



Round Brush



Wet Tools



SS Tube



Flexible  
Hose Pipe



Flat  
Nozzle



Dry Tools



**TCI VC 15 WET & DRY  
VACUUM CLEANER  
(S.S.)**


- High Grade S.S tank
- Available with all Accessories
- Lightweight and portable for effortless maneuverability
- Double Stage Motor helps machine to do cleaning tasks easily.
- Powerful suction despite its small size with continuous run time upto 50 mins.

**TCI VC 30 WET & DRY  
VACUUM CLEANER  
(S.S.)**


- Spacious 30-liter capacity for extended cleaning sessions
- Maintains a compact design for convenient storage and usage
- Versatile attachments cater to various cleaning tasks
- Double Stage Motor helps machine to do cleaning tasks easily.
- Robust motor delivers powerful suction for thorough cleaning upto 50 mins.

**TCI VC 60 (2 / 3) WET  
AND DRY VACUUM  
CLEANER (S.S.)**


- High Capacity for extensive cleaning.
- Dual or triple motors for strong suction.
- Double Stage Motor helps machine to do cleaning tasks easily.
- Comprehensive Attachments & various tools.
- Easy maintenance and intuitive controls.
- Powerful motor for continuous operation upto 50 mins.

**TCI VC 803 WET AND  
DRY VACUUM  
CLEANER (S.S.)**


- Single-phase heavy-duty industrial vacuum cleaner with 80-liter capacity, ideal for robust suction in commercial and industrial settings.
- Double Stage-Armature based Motor with High suction Power Runs continuously for up to 50 min before needing to be emptied.
- Equipped with a trolley for easy movement across work areas.
- High-performance filters for diverse debris types.

**Specification:**

	TCI VC 15	TCI VC 30	TCI VC 60 (2 / 3)	TCI VC 803
Function	WET AND DRY	WET AND DRY	WET AND DRY	WET AND DRY
Capacity	15 ltr	30 ltr	60 ltr	80 ltr
Power	1000 W	1000 W	2000W,3000 W	3000 W
Voltage	220 v	220 v	220 v	220 v
Height	55 cm	76 cm	90 cm	99 cm
Tank Diameter	345 mm	345 mm	440mm	440 mm
Mode of cooling	Circulating Air	Circulating Air	Circulating Air	Circulating Air
Air Flow Rate	48 l/s	53 l/s	106 l/s	106 l/s
Vacuum Suction	210 mbar	230 mbar	250 mbar	250 mbar
Length of the Cable	7 mtr	7 mtr	8 mtr	8 mtr
HoseDiameter	36 mm	40 mm	40 mm	40 mm
Packing Dimensions	43*43*59cm	43*43*76.5cm	59*52*96cm	59*52*105 cm

## TCI VC 10 LOW NOISE VACUUM CLEANER

Function	: WET AND DRY
Capacity	: 10 ltr
Power	: 1100 W
Voltage	: 220 v
Height	: 32 cm
Tank Diameter	: 345 mm
Mode of cooling	: Circulating Air
Air Flow Rate	: 48 l/s
Vacuum Suction	: 210 mbar
Length of the Cable	: 7 mtr
HoseDiameter	: 36 mm
Packing Dimensions:	38*38*55 cm



## TCI V 802 WALK BEHIND WET VACUUM CLEANER

Capacity	: 80 ltr
Power	: 2000 W
Voltage	: 220-240 v
Air Flow Rate	: 106 l/s
Vacuum Suction	: 250 mbar
Length of the Cable	: 8 mtr
HoseDiameter	: 40 mm
Function	: WET AND DRY
Height	: 100cm
Tank Diameter	: 440 mm

## TCI VC 15 P WET & DRY VACUUM CLEANER (PLASTIC)

Function	: WET AND DRY
Capacity	: 15 ltr
Power	: 1000 W
Voltage	: 220 v
Height	: 55 cm
Tank Diameter	: 345 mm
Mode of cooling	: Circulating Air
Air Flow Rate	: 48 l/s
Vacuum Suction	: 210 mbar
Length of the Cable	: 7 mtr
HoseDiameter	: 36 mm
Packing Dimensions	: 43*43*61 cm



## TCI VC 30 P WET & DRY VACUUM CLEANER(PLASTIC)

Function	: WET AND DRY
Capacity	: 30 ltr
Power	: 1000 W
Voltage	: 220 v
Height	: 765 cm
Tank Diameter	: 345 mm
Mode of cooling	: Circulating Air
Air Flow Rate	: 53 l/s
Vacuum Suction	: 230 mbar
Length of the Cable	: 7 mtr
HoseDiameter	: 40 mm
Packing Dimensions	: 43*43*81 cm

## TCI – UR 5L UPRIGHT VACUUM CLEANER

Function	: DRY
Air Flow Rate	: 48 l/s
Dust Volume	: 5.5 L
Rolling Brush Motor Power	: 200 W
Rolling Speed	: 2000 W
Noise	: 80dB
Vacuum Suction	: 190mbar
Voltage	: 220VAC / 50 Hz
Suction Motor Power	: 1200 w
Packing Size	: 847 x 335 215mm



## TCI LH – 10 CORDLESS VACUUM CLEANER



Charging Time	: 90mins
Usage Time	: 30mins
Power Rating	: 165W
Suction Motor	: 150W
Roll Motor	: 15W
Pump Rate	: 500ml/min
Battery	: 2500mAh
Charger	: 600mA
Air Filter Type	: HEPA
Brush Speed	: 2500rm

# TCI BP 1100 BACKPACK VACUUM CLEANER



Function	: Dry With Heppa Filter
Capacity	: 5 ltr
Power	: 1100 W
Voltage	: 110 v /220 v
Noise	: 62 Db
Air Flow Rate	: 48 l/s
Vacuum Suction	: 190 mbar
Length of the Cable	: 18 mtr
HoseDiameter	: 36 mm

## FLOOR RENEWING / POLISHING MACHINE – 3HP (S3000)

Base plate Diameter	: 20" - hp
Power	: 2250 W
Voltage	: 220v
Speed	: 175 rpm
Main Cable Length	:12 mtr
Weight	: 80 kgs
Accessories	: Water Tank, Driving Disk, Pad Holder, Hard Brush



## FLOOR RENEWING / POLISHING MACHINE – 2.5HP (S2500)

Base plate Diameter	: 18" - 2.5hp
Power	: 1850 W
Voltage	: 220v
Speed	: 175 rpm
Main Cable Length	:12 mtr
Weight	: 68 kgs
Accessories	: Water Tank, Driving Disk, Pad Holder, Hard Brush



## FLOOR RENEWING / POLISHING MACHINE – 2HP (S2000)

Base plate Diameter	: 17"
Power	: 1500 W
Voltage	: 220v
Speed	: 165 rpm
Main Cable Length	:12 mtr
Weight	: 50 kgs
Accessories	: Water Tank, Hard Brush, Driving Disk, Pad Holder

## MULTIFUNCTION SINGLE DISC -1.5HP (S1100)

Base plate Diameter : 17"

Power : 1100 W

Voltage : 220v

Speed : 154 rpm

Main Cable Length : 12 mtr

Weight : 48 kgs

Accessories : Water Tank, Hard Brush, Soft Brush, Pad Holder.



## MULTIFUNCTION SINGLE DISC -1.5HP (S1100-S)

Base plate Diameter : 17"

Power : 1100 W

Voltage : 220v

Speed : 154 rpm

Main Cable Length : 12 mtr

Weight : 48 kgs

Accessories : Water Tank, Hard Brush, Soft Brush, Pad Holder.



## MULTIFUNCTION SINGLE DISC -1.5HP (S1100-C)

Base plate Diameter : 17"

Power : 1100 W

Voltage : 220v

Speed : 154 rpm

Main Cable Length : 12 mtr

Weight : 48 kgs

Accessories : Water Tank, Hard Brush, Soft Brush, Pad Holder.



## MULTIFUNCTION SINGLE DISC (SS) -1.5 HP (SS1100)

Base plate Diameter	: 17"
Power	: 1100 W
Voltage	: 220v
Speed	: 154 rpm
Main Cable Length	: 12 mtr
Weight	: 48 kgs
Accessories : Water Tank, Hard Brush, Soft Brush, Pad Holder	



## MULTIFUNCTION SINGLE DISC -1.0HP (S750)



Base plate Diameter	: 13"
Power	: 750 W
Voltage	: 220v
Speed	: 190rpm
Main Cable Length	: 12 mtr
Weight	: 25kgs
Accessories : Water Tank, Hard Brush, Soft Brush, Pad Holder	

## TCI HAND POLISHING/CLEANING MACHINE (H100)

Rated Voltage	: 220 v
Frequency	: 50 Hz
Power	: 1050 W
Speed	: 600 - 3000rpm
Rotorplate Diameter	: 7"
Accessories : Hard Brush, Soft Brush, Pad Holder, 4Pads, Foaming pad, Foaming pad Holder	



## TCI HP150 BAR S.S. BODY

Working Pressure	: 150 bar
Max Pressure	: 160 bar
Flow	: 11 ltr/min
Voltage	: 240 V
Rotation	: 1450 rpm
Power Consumption	: 2.25 Units
Pump	: Brass
Phase	: Single
Weight	: 65 kgs
Hose Pipe Length	: 8 mtr
Max. Temperature	: 60 c



## TCI HP 100 BAR

### JET PRESSURE WASHER

Working Pressure	: 100 bar
Max Pressure	: 100 bar: 2.4 ltr
Flow	: 6 ltr/min
Power	: 3000 W
Voltage	: 220 v
Motor	: Induction
Pump	: Standard
Weight	: 15 kgs
Hose Pipe Length	: 8 mtr
Cable Length	: 6 mtr

## TCI HP 150 BAR JET PRESSURE WASHER

### ECO RANGE

Working Pressure	: 150 bar
Max Pressure	: 180 bar
Flow	: 7.5 ltr/min
Power	: 3000 W
Voltage	: 220 v
Motor	: Induction
Pump	: Brass
Weight	: 25 kgs
Hose Pipe Length	: 8 mtr
Cable Length	: 6 mtr
Box Dimensions	: 84*36*38.5 cm



## TCI HP 160 BAR



Power	: 12.2 KW
Voltage	: 220 v
Pressure	: 160 bar
Max Flow	: 10 pm
Motor RPM	: 12880 rp
Motor Winding	: Copper
Pump	: DCB-1506C6
No.of QuicL Connect Nozzle	: 5 Nozzle
Hose Length	: 10 mtr
Tigger gun	: 20*S.S



## TCI - 40 4 IN 1 CARPET AND SOFA CLEANER

Capacity	: 40 Ltr
Clean Water Capacity	: 10 Ltr
Power	: 1079 W
Voltage	: 240 V
Water Pump	: 34 W
Vacumm Motor	: 1000w
Air Flow Rate	: 53 L/s
Vacumm Suction	: 230 mbar
Cable Length	: 7 mtr
Grinding Head Motor	: 45 W
Brush Diameter	: 125 mm
Pressure	: 87 PSI
Net Weight	: 19.4 Kgs



## TCI 08A STEAM CLEANER

Power	: 2000 W
Frequency/Voltage	: 50 Hz/220 v
Capacity	: 2.4 ltr
Pressure	: 4 bar
Heating Up Time	: Quick ( 2 min )
Steam Adjustment	: Available
Standby Heating cut-off Time	30 min
Weight	: 8.4 kgs
Cable Length	: 7 mtr
Safety	: (1) 2 tank System (2) Can fill water continously
Three Level Protectors : (1) Safety Valve (2) Pressure Release Valve (3) Fuse	

\*Freely PC Board Controller Available\*



EFFECTIVE CLEANING SOLUTIONS



[www.tciproduct.com](http://www.tciproduct.com)

## TCI C 40 S.S. CARPET EXTRACTOR

S.S. Tank Capacity	: 40 ltr
Solution Tank Capacity	: 15 ltr
Power	: 1034 W
Voltage	: 220 V
Cable Length	: 8 mtr
Power of Water Pump	: 34 W
Power of Vacuum Motor	: 1000 W
Height	: 885 mm
Tank Diameter	: 335 mm
Grinding Head Motor	: 45 W
Mode of Cooling	: Circulating air
Air Flow Rate	: 53L/s
Vacuum Suction	: 230 mbar
Hose diameter	: 40 mm
Net Weight	: 17.5 kgs
Gross Weight	: 19 kgs
Hose Gross Weight	: 5.2 kgs



## TCI C 20 S.S. CARPET EXTRACTOR



S.S. Tank Capacity	: 20 ltr
Solution Tank Capacity	: 15 ltr
Power	: 1034 W
Voltage	: 220 V
Cable Length	: 8 mtr
Power of Water Pump	: 34 W
Power of Vacuum Motor	: 1000 W
Height	: 885 mm
Tank Diameter	: 335 mm
Mode of Cooling	: Circulating air
Air Flow Rate	: 53L/s
Vacuum Suction	: 230 mbar
Hose diameter	: 40 mm
Net Weight	: 15.5 kgs
Gross Weight	: 17.3 kgs
Hose Gross Weight	: 5.2 kgs

## TCI AIR-3 SPEED AIR BLOWERS

Power	: 900 W
Speed	: 220 rpm
Rotation Speed	: Low / Med / High
Air Flow Rate	: 160/ 130 / 110 m /hr.
Length of the Cable	: 7 mtr
Net Weight	: 12 kgs



## TCI HT HOT AIR BLOWERS

Power	: 900 W
Speed	: 90/100/140 m/hr
Rotation Speed	: Low / Med / High
Air Flow Rate	: 160/ 130 / 110 m /hr.
Length of the Cable	: 7 mtr
Net Weight	: 12 kgs
temperature	: 60 C





36V AMETEK  
MOTOR 3 STAGE



24V AMETEK  
MOTOR 2 STAGE



220V AMETEK MOTOR



220V VACUUM MOTOR  
2 STAGE ( TCI 40E )



220V ITEK MOTOR



220V VACCUM MOTOR  
2 STAGE ( TCI 50E )



Floor Brush



Rubber Lips




220V AMETEK MOTOR  
( 1STAGE - K )



Pad Holder



FOAM LANCE



Floor Polishing  
Pads

## Trolleys and Carts



MULTIPURPOSE CART WITH WRINGER ( GREEN )



MULTIPURPOSE CART WITH FLAT BUCKETS ( GREEN )



JANITOR CART



MULTIPURPOSE CART WITH WRINGER ECO



MULTIPURPOSE CART WITH WRINGER PREMIUM



MULTIPURPOSE SERVICE CART WITH WRINGER - T



DELUXE MULTIPURPOSE CART WITH WRINGER - RM



MULTIPURPOSE CART WITH FLAT MOP BUCKETS



GUEST ROOM SERVICE CART ( METAL DOOR )



GUEST ROOM SERVICE CART  
( PLASTIC DOOR )



RESTAURANT CART



3 LAYER CART



X SHAPE CART  
( PLASTIC )



X SHAPE CART  
( METAL )



RECTANGLE CART



MATERIAL HANDLING  
CART



60 LTR 3 BUCKET  
WRINGER TROLLEY



40LTR 2 BUCKET  
WRINGER TROLLEY



Food Court Trolley  
with Bin

## Bins



3 Classification Bin



Femina Bin



80/120LTR  
ROUND BINS



120/240LTR BINS



660/1100LTR BINS

## Microfibre Cloth



MICROFIBRE CLOTH  
260/310 GSM



MICROFIBRE CLOTH  
380 GSM

## Other Housekeeping Tools



18"/22" ALUMINIUM FRAME



18"/22" VELCRO REFIL



18"/24" PLASTIC FRAME



18"/24" HARD  
MICROFIBER REFILL



MICROFIBER KENTUCHI  
REFILL ( GRAY )



MICROFIBER KENTUCHI  
REFILL



CADDY PREMIUM



COMBI



REPLACEMENT RUBBER



GLASS CLEANING KIT



MINI SCRAPPER



PLASTIC FLOOR SCRAPPER



S.S SQUEEZE



WASHER



DOODLE HAND



DOODLE FLOOR



DOODLE PADS



COWEB BRUSH



WAIST TUBE BRUSH

18'/22' HARD BRUSH  
WITH HANDLE24 PREMIUM BRUSH  
WITH HANDLE3.4MTR SOLAR & CAR  
BRUSH WITH WATER  
CONNECTOR

MOP CLIPS



ALUMINIUM HANDLE



3/5 HOOK ALUMINIUM  
TOOL HOLDER



TELESCOPIC POLES  
3/4/6/9 MTR.



300 - 400 GM CUTEND  
WET MOP REFILL



DRY MOP REFILL



CAUTION BOARDS



DRY MOP FRAME



LOBBY DUST PAN



CADDY



URINAL SCREEN



- 📍 158/H, Makarpura GIDC, Behind Manjalpur Police Station, Makarpura, Vadodara, Gujarat - 390010
- 📞 +91 8401916766 / 9510236332
- ✉️ sales@tciproduct.com / info@tciproduct.com

